



# INSTITUTE OF NANO SCIENCE AND TECHNOLOGY, MOHALI

(An autonomous Research Institute of Department of Science and Technology,  
Government of India)

Habitat Centre, Sec-64, Phase X, Mohali – 160062, PUNJAB

Phone No: 0172 – 2210073/74/75, Fax No: 0172 – 2210074

Website: [www.inst.ac.in](http://www.inst.ac.in)

INST/12(308)/2017 - PUR

25<sup>th</sup> January 2018

To

## **NOTICE INVITING QUOTATION**

Dear Sir,

Sealed Quotations are invited on behalf of Director, INST Mohali for the purchase of **Hydraulic Hot Press - Qty. 01 No.** so as to reach latest by 21<sup>st</sup> February 2018 upto 2.00PM. The Quotations will be opened on the same day at 3 pm in the presence of tenderers (if any). Technical Specification of Weighing Balance are as follows:-

### **SPECIFICATION FOR HYDRAULIC HOT PRESS**

1. Mode of operation: Manual
2. Max. Temperature of pressing surface: 200°C
3. Required Force: 15 Ton
4. Accuracy: +/- 1 Ton
5. Maximum Distance b/w pressing faces: 75 mm
6. Face size: 300 x 300 mm (both side)
7. Pressure Reading: pressure gauge, reading in Kg/cm<sup>2</sup>
8. Ram stroke: 75 mm
9. Hydraulic System: Cylindrical with pressure pump arrangement

**Before quoting, please read the instructions (overleaf) and technical specifications (above) carefully.**

**Note: Please attach the copies of previous supply order to any Government Institutes/ autonomous bodies/ PSU, if any, with the quotation and provide the contact person and his contact Nos.**

Yours faithfully

Sd/-

Chief Fin and Admn Officer



# INSTITUTE OF NANO SCIENCE AND TECHNOLOGY, MOHALI

(An autonomous Research Institute of Department of Science and Technology,  
Government of India)

Habitat Centre, Sec-64, Phase X, Mohali – 160062, PUNJAB

Phone No: 0172 – 2210073/74/75, Fax No: 0172 – 2210074

Website: [www.inst.ac.in](http://www.inst.ac.in)

---

## INSTRUCTIONS

- Inquiry, if any, may be sent by Courier or Speed Post. INST will not be liable for any kind of postal delay.
- The Quotation Should be addressed to the Director INST, Mohali invariably giving on the envelop Quotation for \_\_\_\_\_, Reference No. With date and due date with time.
- The Quantity mentioned in this inquiry shall be deemed to be only approximate and will not in any manner be binding on the Institute.
- The quotation should be enclosed in a sealed envelope.
- Firms will quote separately for each article.
- The rates offered should be FOR Mohali in case of firms situated outside Chandigarh and free delivery at the Institute premises in case of local firms.
- GST: The Institute is exempted from the payment of GST vide GOI notification no. 47/2017. The rate (i.e., percentage of GST applicable should be clearly indicated, wherever chargeable.
- In case of Ex-godown terms the amount of packaging forwarding freight etc. should clearly be indicated by percentage or lump sum amount. Current rate of GST must be mentioned. The institute is exempted from Customs and Excise Duty.
- The delivery period should be specifically stated. Ex-Stock and earlier delivery may be preferred.
- The firms are requested to give detailed description and specifications together with the detailed drawings, printed leaflets and literature of the article quoted.
- Warranty: Warranty minimum one year from the date of satisfactory installation of the equipment at INST.
- Equipment shall be delivered to INST as per delivery period quoted otherwise Liquidated damages @ 0.5 % per week subject to a maximum of 10% of the value of the order will be imposed in case of delay supplies.
- The name of the manufacturers and country of manufacture should also invariably be stated. In the absence of these particulars the quotation is liable for rejection.
- Quotation should have minimum validity of 60 days from the date of opening.
- The rates quoted should be for each item separately otherwise your quotation is liable to be ignored.
- Late or delayed quotation will not be accepted.
- Director has the right to reject to the quotations and to split up the requirements or change any or all the above conditions without assigning any reason.